



NYOTA 115

Electro-mechanical sliding gate operator





Electro-mechanical sliding gate operator

NYOTA 115

NYOTA 115 is an electro-mechanical sliding gate operator for gate heights of 1.80 m up to 2.50 m.

Electro-mechanical sliding gate operator

Designed to operate with shaft driven or rack and pinion drive systems, the NYOTA 115 is a sliding gate operator for gate heights of 1.80 m up to 2.50 m. It is a rack and pinion drive system with a gear ratio of 1:10. The motor is a 1/2 HP (370 W) AC motor with a speed of 1400 RPM. The motor is protected by a thermal fuse. The operator is designed to operate with a 12V/7Ah battery. The operator is designed to operate with a 12V/7Ah battery. The operator is designed to operate with a 12V/7Ah battery.

Electro-mechanical sliding gate operator for rack and pinion drive

Designed to operate with a rack and pinion drive system, the NYOTA 115 is a sliding gate operator for gate heights of 1.80 m up to 2.50 m. It is a rack and pinion drive system with a gear ratio of 1:10. The motor is a 1/2 HP (370 W) AC motor with a speed of 1400 RPM. The motor is protected by a thermal fuse. The operator is designed to operate with a 12V/7Ah battery. The operator is designed to operate with a 12V/7Ah battery.

The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color.

The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color.

The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color. The operator is made of galvanized steel and is painted in a light grey color.





Accessories



6000-1000-0000
BATTERY PACK

6000-1000-0000
BATTERY PACK



6000-1000-0000
BATTERY PACK



6000-1000-0000
BATTERY PACK



6000-1000-0000
BATTERY PACK



6000-1000-0000
BATTERY PACK



6000-1000-0000
BATTERY PACK



6000-1000-0000
BATTERY PACK



MOTA 115 Eletto meccanico silenzioso

	Caratteristiche tecniche				
	Potenza (kW) / (CV) Velocità (giri/min) Scelta di giri/min. Velocità di avanzamento (mm/min) Velocità di avanzamento (m/min)	Lunghezza del cavo (m) Lunghezza del cavo (m) Lunghezza del cavo (m) Lunghezza del cavo (m)	Lunghezza del cavo (m) Lunghezza del cavo (m) Lunghezza del cavo (m)	Lunghezza del cavo (m) Lunghezza del cavo (m)	Lunghezza del cavo (m) Lunghezza del cavo (m)
	Dimensioni				
	Altezza (mm) Altezza (mm) Altezza (mm) Altezza (mm) Altezza (mm)				
	Altezza (mm) Altezza (mm) Altezza (mm)				
	Altezza (mm) Altezza (mm) Altezza (mm)				
	Altezza (mm)				

Nota: tutte le dimensioni sono in mm e non sono vincolanti



CE Conformità con il regolamento (CE) n. 2014/536 (Machinery Directive) e n. 2014/53 (EMC Directive).

E Eletto a tensione nominale di rete e adatto per uso in ambienti industriali.



Mecanica FADINI
Via Salaria, 100 - 00100 Roma (RM)
Tel. 06/5913021 - Fax 06/5913022
www.mecanicafadini.com

