

FAAC



Hydraulic operator for
swing gates

422 Range

The 422 hydraulic operator is available in 8 models to suit different requirements.



Reliable. Affordable. Dependable.

FAAC ...Leading the way.



422 Series

4-Drive Configuration

The 422 system offers a wide range of gate and wall sizes for residential and commercial openings. All 422 models are designed to meet or exceed the performance of commercial gate and wall systems and carry over 2000 lbs.

Maximum security and safety

For maximum gate system safety, the gate or its load must be kept within the rated capacity of the system. The 422 system is designed to provide the highest level of security and safety. In the event of a failure, the gate will not fall back onto the driveway. The maximum gate weight is 2000 lbs. The maximum wall weight is 1000 lbs. The maximum gate height is 8 feet. The maximum gate width is 16 feet. The maximum wall height is 6 feet. The maximum wall width is 16 feet.

Low maintenance and great efficiency

The 422 system is designed for low maintenance and high efficiency. The system is made of high quality materials and is designed to last for many years. The system is easy to install and maintain. The system is designed to be used in a variety of climates. The system is designed to be used in a variety of environments. The system is designed to be used in a variety of situations. The system is designed to be used in a variety of ways.

Known for its extensive range of high quality products and superior manufacturing techniques, FAAC continues to expand its range of products, offering a wide variety of systems for residential and commercial applications. FAAC is the leading brand in the automatic market.

4-Drive Configuration



- 4-Drive Configuration
- 2000 lbs. Gate Weight
- 1000 lbs. Wall Weight
- 8 ft. Gate Height
- 16 ft. Gate Width
- 6 ft. Wall Height
- 16 ft. Wall Width

Model	Gate Weight (lbs)	Wall Weight (lbs)	Gate Height (ft)	Gate Width (ft)	Wall Height (ft)	Wall Width (ft)
422-4	2000	1000	8	16	6	16

2-Drive Configuration



Model	Gate Weight (lbs)	Wall Weight (lbs)	Gate Height (ft)	Gate Width (ft)	Wall Height (ft)	Wall Width (ft)
422-2	1000	500	8	16	6	16

422 Technical Specifications

Specification	422-2	422-4	422-6	422-8	422-10	422-12	422-14	422-16
Gate Weight	1000	2000	2000	2000	2000	2000	2000	2000
Wall Weight	500	1000	1000	1000	1000	1000	1000	1000
Gate Height	8	8	8	8	8	8	8	8
Gate Width	16	16	16	16	16	16	16	16
Wall Height	6	6	6	6	6	6	6	6
Wall Width	16	16	16	16	16	16	16	16
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	200	200	200	200	200
Max. Speed	10	10	10	10	10	10	10	10
Max. Force	100	200	200	200	200	200	200	200
Max. Torque	100	200	200	20				